# NSN 5910-01-392-4063

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-392-4063

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

# **Reliability Indicator:**

Not established

# **Terminal Length:**

19.0 millimeters

#### **Body Diameter:**

5.0 millimeters

#### **Body Length:**

11.0 millimeters

#### Center To Center Distance Between Terminals Parallel To Diameter:

2.0 millimeters

#### **Terminal Diameter:**

0.5 millimeters

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Anode Type:

Plain foil

## Electrical Polarization:

Polarized

# End Application:

6625-01-340-7933analyzer, spectrum

#### **Capacitance Value Per Section:**

10.000 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 105.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

160.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### Case Material:

Metal

# **Capacitive Electrode Material:**

Aluminum

# Dissipation Factor At Reference Tempurature In Percent:

0.120

# Dc Leakage At Reference Temp:

4.000 microamperes

# **Terminal Surface Treatment:**

Solder

# **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0