## NSN 5910-01-392-6364

**Reference Number Differentiating Characteristics:** 

and testing specifications available at the dla icp.

**Body Style:** 

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-392-6364

W/o mtg facilities, terminal (s) on one surface				
Reliability Indicator:				
Not established				
Body Length:				
4.560 inches				
Body Width:				
2.840 inches				
Body Height:				
6.000 inches				
Continuous Current Rating In Amps:				
50.0				
Center To Center Distance Between Terminals Parallel To Length:				
2.000 inches				
Terminal Diameter:				
0.250 inches				
Terminal Height From Body:				
1.500 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Capacitance Value Per Section:				
30.000 microfarads single section				
Nonderated Operating Temp:				
Between -40.0 degrees celsius and 80.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
700.0 ac-rms single section				
Criticality Code Justification:				
Zzzy				
Tolerance Range Per Section:				
-10.00 to 10.00 percent single section				
Case Material:				
Metal				
Dissipation Factor At Reference Tempurature In Percent:				
0.200				
Case Insulation Material:				
Plastic				
Special Features:				
Item must comply with requirements of defense supply center columbus production standard no. Lo4508				
Terminal Type And Quantity:				
2 standoff, threaded stud				

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing

## NSN 5910-01-392-6364

Paper Dielectric Fixed Capacitor - Page 2 of 2



		fe:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0