NSN 5910-01-393-2024

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-393-2024

Body Style:

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

Terminal Length:

0.281 inches

Body Diameter:

Between 1.743 inches and 1.805 inches

Body Length:

Between 4.093 inches and 4.217 inches

Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.644 inches and 0.766 inches

Center To Center Distance Between Mounting Facilities Parallel To Diameter:

Between 0.644 inches and 0.766 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Electrical Polarization:

Polarized

Mounting Facility Type And Quantity:

2 threaded mounting holes

Capacitance Value Per Section:

2300.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 105.0 degrees celsius

Thread Size:

0.190 inches

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-10.00/+50.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Tempurature In Ohms:

0.071

Dc Leakage At Reference Temp:

1860.000 microamperes

Reference Tempurature At Which Rated:

25.0 degrees celsius

Case Insulation Material:

Plastic

NSN 5910-01-393-2024

Electrolytic Fixed Capacitor - Page 2 of 2



2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0