

View Online at https://aerobasegroup.com/nsn/5910-01-393-5549

Body Style:
Dual inline
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
1.0000
Body Length:
0.092 inches
Body Width:
0.260 inches
Body Height:
0.128 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
270.000 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:0.0 single section
0.0 single section
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section:
<ul> <li>0.0 single section</li> <li>Nonderated Continuous Voltage Rating And Type Per Section:</li> <li>200.0 dc single section</li> </ul>
<ul> <li>0.0 single section</li> <li>Nonderated Continuous Voltage Rating And Type Per Section:</li> <li>200.0 dc single section</li> <li>Tolerance Range Per Section:</li> </ul>
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity:
<ul> <li>0.0 single section</li> <li>Nonderated Continuous Voltage Rating And Type Per Section:</li> <li>200.0 dc single section</li> <li>Tolerance Range Per Section:</li> <li>-10.00/+10.00 percent single section</li> <li>Terminal Type And Quantity:</li> <li>2 printed circuit</li> </ul>
<ul> <li>0.0 single section</li> <li>Nonderated Continuous Voltage Rating And Type Per Section:</li> <li>200.0 dc single section</li> <li>Tolerance Range Per Section:</li> <li>-10.00/+10.00 percent single section</li> <li>Terminal Type And Quantity:</li> <li>2 printed circuit</li> <li>Specification Data:</li> </ul>
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life:
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life: N/a
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life: N/a
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life: N/a Unit Of Measure:
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life: N/a Unit Of Measure: 
0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section Tolerance Range Per Section: -10.00/+10.00 percent single section Terminal Type And Quantity: 2 printed circuit Specification Data: 81349-mil-c-39014/22 government specification Shelf Life: N/a Unit Of Measure:  Demilitarization: No