Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



NSN 5910-01-398-9567 View Online at https://aerobasegroup.com/nsn/5910-01-398-9567 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 0.236 inches **Body Length:** 0.512 inches **Body Width:** 0.354 inches **Body Height:** 0.157 inches Center To Center Distance Between Terminals Parallel To Length: 0.394 inches **Terminal Diameter:** 0.032 inches **Schematic Diagram Designator:** No common or grounded electrode (s)

Capacitance Value Per Section:

0.0056 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

Tolerance Range Per Section:

-10.00/+10.00 percent single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

30000.0 megohm-microfarads

Dissipation Factor At Reference Tempurature In Percent:

1.000

Terminal Surface Treatment:

Solder

Dielectric Material:

Plastic polyester

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

NSN 5910-01-398-9567

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



D !!		
Demil	ıtarız	ation:

No

Fiig:

A010b0