## NSN 5910-01-399-1592

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-399-1592

Body Style:				
W/o mtg facilities terminal (s) on one surface				
Reliability Indicator:				
Not established				
Terminal Length:				
4.0 millimeters				
Body Length:				
25.0 millimeters				
Body Width:				
18.5 millimeters				
Body Height:				
8.5 millimeters				
Center To Center Distance Between Terminals Parallel To Length:				
22.5 millimeters				
Terminal Diameter:				
0.8 millimeters				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Capacitance Value Per Section:				
0.470 microfarads single section				
Nonderated Operating Temp:				
Between -55.0 degrees celsius and 85.0 degrees celsius				
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:				
400.0 single section				
Nonderated Continuous Voltage Rating And Type Per Section:				
400.0 dc single section				
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:				
-200.0/+200.0 single section				
Tolerance Range Per Section:				
-10.00/+10.00 percent single section				
Case Material:				
Plastic				
Terminal Surface Treatment:				
Solder				
Dielectric Material:				
Plastic polyester				
Terminal Type And Quantity:				
2 uninsulated wire lead				
Shelf Life:				
N/a				
Unit Of Measure:				

--

## NSN 5910-01-399-1592

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Der	nilit	ariz	atic	n:

No

Fiig:

A010b0