Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-411-1482

## Body Style:

W/o mtg facilities terminal (s) on one surface

## **Reliability Indicator:**

Not established

## **Terminal Length:**

Between 0.157 inches and 0.236 inches

#### Body Length:

0.709 inches

#### **Body Width:**

0.551 inches

#### **Body Height:**

#### 0.276 inches

## Center To Center Distance Between Terminals Parallel To Length:

0.591 inches

#### **Terminal Diameter:**

0.031 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

0.010 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

630.0 dc single section

## **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

100000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

0.001

## **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0