## NSN 5910-01-413-4337

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-413-4337

View Online at https://aerobasegroup.com/nsn/5910-01-413-4337		
Body Style:		
W/o mtg facilities terminal (s) on one surface		
Reliability Indicator:		
Not established		
Terminal Length:		
1.000 inches		
Body Length:		
0.300 inches		
Body Width:		
0.300 inches		
Body Height:		
0.160 inches		
Center To Center Distance Between Terminals Parallel To Length:		
0.200 inches		
Terminal Diameter:		
0.025 inches		
Schematic Diagram Designator:		
No common or grounded electrode (s)		
Insulation Resistance At Maximum Operating Temp:		
10000.0 megohms		
Capacitance Value Per Section:		
0.0238 microfarads single section		
Nonderated Operating Temp:		
Between -55.0 degrees celsius and 125.0 degrees celsius		
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:		
0.0 single section		
Nonderated Continuous Voltage Rating And Type Per Section:		
100.0 dc single section		
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:		
-30.0/+30.0 single section		
Tolerance Range Per Section:		
-1.00/+1.00 percent single section		
Case Material:		
Plastic		
Insulation Resistance At Reference Temp:		
100000.0 megohms		
Dissipation Factor At Reference Tempurature In Percent:		
1.000		
Terminal Surface Treatment:		
Solder		
Terminal Type And Quantity:		

2 uninsulated wire lead

## NSN 5910-01-413-4337

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Sneit	Lite:
N/a	

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0