

View Online at <https://aerobasegroup.com/nsn/5910-01-413-5080>

**Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:**

Not established

**Terminal Length:**

5.0 millimeters

**Body Length:**

18.0 millimeters

**Body Width:**

15.0 millimeters

**Body Height:**

8.0 millimeters

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**End Application:**

Kilauea class t-ae 26; forrestal class cv; wasp class lhd; oliver perry class ffg; los angeles class ssn (688); ticonderoga class cg (47); spruance class dd (963); mine countermeasures support (mcs) class (lph-12); arleigh burke class ddg; nimitz class cvn

**Capacitance Value Per Section:**

1.000 microfarads single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

100.0 ac/dc single section

**Criticality Code Justification:**

Feat

**Tolerance Range Per Section:**

-10.00/+10.00 percent single section

**Case Material:**

Plastic

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0