NSN 5910-01-414-9158

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-414-9158 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** 0.250 inches **Body Length:** Between 0.350 inches and 0.425 inches **Body Width:** 0.440 inches **Body Height:** 0.715 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.100 inches **Terminal Diameter:** Between 0.018 inches and 0.022 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:**

235001328964 (19200)

Insulation Resistance At Maximum Operating Temp:

100.0 megohm-microfarads

Capacitance Value Per Section:

5.600 microfarads single section

Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

Tolerance Range Per Section:

-10.00/+10.00 percent single section

Case Material:

Ceramic

Insulation Resistance At Reference Temp:

1000.0 megohm-microfarads

Dissipation Factor At Reference Tempurature In Percent:

2.500

Reference Tempurature At Which Rated:

25.0 degrees celsius

Terminal Surface Treatment:

Solder

NSN 5910-01-414-9158

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Type And Quantity:
8 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0