## NSN 5910-01-433-9121

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-433-9121

**Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** Between 0.060 inches and 0.080 inches **Body Length:** Between 0.350 inches and 0.425 inches **Body Width:** 0.440 inches **Body Height:** 0.715 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.100 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.400 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 10000.0 megohms **Capacitance Value Per Section:** 1200.000 microfarads single section **Voltage Tempurature Limits Per Section In Percent Capacitance Change:** -45.0/+15.0 with rated voltage applied single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 500.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section Case Material: Ceramic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 8 uninsulated wire lead Shelf Life:

N/a

## NSN 5910-01-433-9121

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0