## NSN 5910-01-445-3496

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-445-3496

**Body Style:** 

W/o mtg facilities, terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Body Length:** 

Between 2.080 inches and 2.190 inches

**Body Width:** 

Between 1.230 inches and 1.340 inches

**Body Height:** 

Between 2.500 inches and 2.610 inches

**Center To Center Distance Between Terminals Parallel To Length:** 

0.812 inches

**Terminal Diameter:** 

0.250 inches

**Terminal Height From Body:** 

Between 1.200 inches and 1.300 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Features Provided:** 

Hermetically sealed case

**Capacitance Value Per Section:** 

0.100 microfarads single section

**Nonderated Operating Temp:** 

Between 5.0 degrees celsius and 90.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

2000.0 dc single section

**Criticality Code Justification:** 

Zzzy

**Tolerance Range Per Section:** 

-10.00/+10.00 percent single section

**Case Material:** 

Metal

**Dielectric Material:** 

Plastic polypropylene

**Special Features:** 

Item must comply with requirements of defense supply center columbus production standard no. Lo4712

**Terminal Type And Quantity:** 

2 standoff, threaded stud

**Reference Number Differentiating Characteristics:** 

Breference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

Shelf Life:

N/a

## NSN 5910-01-445-3496

Plastic Dielectric Fixed Capacitor - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A010b0