

View Online at <https://aerobasegroup.com/nsn/5910-01-461-2437>

Body Style:

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

Terminal Length:

0.281 inches

Body Diameter:

1.375 inches

Body Length:

4.125 inches

Continuous Current Rating In Amps:

5.35

Center To Center Distance Between Terminals Parallel To Diameter:

0.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Diameter:

0.500 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Electrical Polarization:

Polarized

End Application:

E/i fscm80058

Mounting Facility Screw Thread Series Designator:

Unf

Mounting Facility Type And Quantity:

2 threaded mounting holes

Capacitance Value Per Section:

15.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees fahrenheit and 85.0 degrees fahrenheit

Thread Size:

0.190 inches

Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

Tolerance Range Per Section:

-10.00/+50.00 percent single section

Capacitive Electrode Material:

Aluminum

Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0

Mil-std (military Standard):

Mil-prf-39018 spec.