NSN 5910-01-515-8469

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-515-8469 **Body Style:** W/o mtg facilities, terminal (s) on one surface **Reliability Indicator:** Established **Terminal Length:** Between 10.0 millimeters and 20.0 millimeters **Body Length:** 14.0 millimeters **Body Width:** 9.0 millimeters **Body Height:** 9.0 millimeters **Center To Center Distance Between Terminals Parallel To Width:** Between 4.95 millimeters and 5.05 millimeters **Terminal Diameter:** Between 0.45 millimeters and 0.55 millimeters **Features Provided:** Burn in **Capacitance Value Per Section:** 100.000 microfarads single section **Nonderated Operating Temp:** 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 10.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Metal **Capacitive Electrode Material: Tantalum Case Insulation Material: Plastic Product Name:** Resin-coated, radial-lead, tantalum capacitors **Special Features:** Temperature range minus 55.0 to plus 125.0 degrees c; surge voltage at plus 85.0 degrees c. 13.0 volts dc; color gold; leads tinned **Terminal Type And Quantity:**

N/a

Unit Of Measure:

Shelf Life:

2 uninsulated wire lead

NSN 5910-01-515-8469

Electrolytic Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0