

View Online at <https://aerobasegroup.com/nsn/5910-01-516-6266>

Body Style:

Without mounting facilities, terminal (s) on one surface

Reliability Indicator:

Not established

Terminal Length:

1.250 inches

Body Length:

0.320 inches

Body Width:

0.200 inches

Body Height:

0.280 inches

Center To Center Distance Between Terminals Parallel To Length:

Between 0.140 inches and 0.200 inches

Terminal Diameter:

Between 0.023 inches and 0.027 inches

Schematic Diagram Designator:

Two terminals common to one electrode

End Application:

1430-01-418-4396; wsd: missile, patriot

Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

Capacitance Value Per Section:

1650.000 picofarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

1000.0 dc single section

Tolerance Range Per Section:

+0.00/+300.00 picofarads single section

Insulation Resistance At Reference Temp:

10000.0 megohms

Terminal Surface Treatment:

Solder

Case Insulation Material:

Plastic or rubber

Terminal Type And Quantity:

2 wire braid

Specification Data:

81349-mil-prf-49467b government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0

Mil-std (military Standard):

Mil-prf-49467b spec.