## NSN 5910-01-522-6429

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-522-6429 **Body Style:** Chip type **Reliability Indicator:** Established **Reliability Failure Rate Level In Percent:** 0.0100 **Terminal Length:** 0.015 inches **Body Length:** 0.180 inches **Body Width:** 0.080 inches **Body Height:** Between 0.022 inches and 0.080 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** 5998-01-520-9341 on the f/a-18e/f aircraft **Capacitance Value Per Section:** 470.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Criticality Code Justification:** Agav **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Ceramic or glass **Special Features:** Termination finish is base metallization-barrier metal-solder coated with a min of 4 percent lead (tin/lead alloy) **Terminal Type And Quantity:** 2 bonding pad Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 5910-01-522-6429

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A010b0