Electrolytic Fixed Capacitor - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5910-01-530-5009

# Body Style:

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

### **Body Diameter:**

Between 0.760 inches and 0.812 inches

#### **Body Length:**

Between 2.141 inches and 2.250 inches

### **Terminal Diameter:**

Between 0.040 inches and 1.016 inches

### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

### **Electrical Polarization:**

Polarized

#### **Capacitance Value Per Section:**

2500.000 microfarads single section

### Nonderated Operating Temp:

Between -20.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+95.00 percent single section

# Case Material:

Metal

### **Capacitive Electrode Material:**

Aluminum

### **Dissipation Factor At Reference Tempurature In Percent:**

150.000

### Case Insulation Material:

Plastic

### **Special Features:**

Copper/tin leads; 10 wvdc; 12 vdc surge

### **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

### Demilitarization:

No

Fiig:

A010b0