## NSN 5910-01-540-8669

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-540-8669 **Body Style:** Pellet type, w/mtg pins **Reliability Indicator:** Not established **Terminal Length:** 0.312 inches **Body Diameter:** 0.853 inches **Body Length:** 0.320 inches **Schematic Diagram Designator:** Electrod (s) grounded to case **Anode Type:** Solid **Impedance At Minimum Operating Tempurature In Ohms:** 35.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 220.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Dc Leakage At Maximum Operating Temp: 24.0 microamperes Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: Metal **Capacitive Electrode Material: Dissipation Factor At Reference Tempurature In Percent:** 33.6000 Dc Leakage At Reference Temp: 3.000 microamperes **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 1 pin Shelf Life:

N/a

## NSN 5910-01-540-8669

Electrolytic Fixed Capacitor - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A010b0