Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-603-6869

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

# **Reliability Indicator:**

Not established

# **Terminal Length:**

Between 0.450 inches and 0.550 inches

#### **Body Diameter:**

0.350 inches

#### **Body Length:**

0.530 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.100 inches

#### **Terminal Diameter:**

0.020 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

# Anode Type:

Solid

#### **Electrical Polarization:**

Polarized

## Capacitance Value Per Section:

68.000 microfarads single section

# Nonderated Operating Temp:

85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

16.0 dc single section

## **Tolerance Range Per Section:**

-10.00 to 10.00 percent single section

#### **Case Material:**

Plastic

## **Capacitive Electrode Material:**

Tantalum

## **Dissipation Factor At Reference Tempurature In Percent:**

6.000

## Dc Leakage At Reference Temp:

8.200 microamperes

## **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

# NSN 5910-01-603-6869

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0