

View Online at <https://aerobasegroup.com/nsn/5910-01-624-1799>

Body Style:

Dual inline

Reliability Indicator:

Established

Reliability Failure Rate Level In Percent:

0.1

Body Length:

0.092 inches

Body Width:

0.260 inches

Body Height:

0.283 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Section Quantity:

1

Capacitance Value Per Section:

1000000.00 picofarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

Tolerance Range Per Section:

-10.0 to 10.0 percent single section

Case Material:

Plastic

Dissipation Factor At Reference Temperature In Percent:

3.000

Test Data Document:

81349-mil-prf-39014 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 printed circuit

Specification Data:

81349-mil-prf-39014/22 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0

Mil-std (military Standard):

Mil-prf-39014 spec.