## NSN 5910-01-626-8355

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-626-8355 **Body Style:** Chip type **Reliability Indicator:** Not established **Terminal Length:** 0.087 inches **Body Length:** Between 0.223 inches and 0.247 inches **Body Width:** Between 0.114 inches and 0.138 inches **Body Height:** Between 0.086 inches and 0.110 inches **Terminal Height From Body:** Between 0.047 inches and 0.063 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Electrical Polarization:** Polarized **Section Quantity: Capacitance Value Per Section:** 33000000.0 picofarads single section **Nonderated Operating Temp:** Between 55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -10.0 to 10.0 percent single section **Case Material:** Ceramic **Capacitive Electrode Material:** 

## **Dissipation Factor At Reference Tempurature In Percent:**

# **Equivalent Series Resistance At Reference Tempurature In Ohms:**

0.30

6.0

#### Dc Leakage At Reference Temp:

3.3 microamperes

### **Reference Tempurature At Which Rated:**

25.0 degrees celsius

#### **Product Name:**

Tantalum capacitor, solid smd 10v, 33uf 10percent case c

# NSN 5910-01-626-8355

Electrolytic Fixed Capacitor - Page 2 of 2



Special Features:
Lead material tin
<b>Precious Material And Location:</b>
Corewrap silver
Terminal Type And Quantity:
2 bonding pad
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0