NSN 5915-00-004-5828

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-004-5828

Overall Height:
1.130 inches
Body Length:
2.380 inches
Body Width:
1.000 inches
Body Height:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.937 inches
Vibration Resistance Range In Hertz:
+0.0 to 60.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.562 inches
Operating Tempurature Range:
-30.0 to 85.0 degrees celsius
Reference Frequency Per Function:
10.7 megahertz blank
Input Impedance Per Function W/load:
870.0 ohms blank
Output Impedance Per Function W/source Across Input:
870.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
10.683125 megahertz blank and 10.6935 megahertz blank and 10.7065 megahertz blank and 10.716875 megahertz blank
Thread Size:
0.112 inches
Frequency Band Width Per Function:
10.6935 megahertz blank and 10.7065 megahertz blank

100.0 blank and 6.0 blank and 6.0 blank and 100.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

NSN 5915-00-004-5828

Band Pass Filter - Page 2 of 2



\sim .	D	
STV/IA	110617	nn at ar ·
SIVIE	DESIL	gnator:
		,

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0