

View Online at <https://aerobasegroup.com/nsn/5915-00-004-5852>

**Overall Height:**

0.547 inches

**Body Length:**

0.525 inches

**Body Width:**

0.410 inches

**Body Height:**

0.360 inches

**Operating Temperature Range:**

-50.0 to 70.0 degrees celsius

**Reference Frequency Per Function:**

470.0 kilohertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

3 terminal

**Features Provided:**

Fungus resistant and moisture resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 pin input 1st function 2 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

460.60 kilohertz blank and 465.30 kilohertz blank and 474.70 kilohertz blank and 479.40 kilohertz blank

**Body Material:**

Plastic

**Frequency Band Width Per Function:**

465.30 kilohertz blank and 474.70 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

465.3 kilohertz blank and 474.7 kilohertz blank

**Criticality Code Justification:**

Feat

**Special Features:**

As differentiated by circuit test for q-factor; inductor tapped

**Unpackaged Unit Weight:**

2.000 ounces

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0