

View Online at <https://aerobasegroup.com/nsn/5915-00-004-7601>

Overall Height:

0.547 inches

Body Length:

0.525 inches

Body Width:

0.410 inches

Body Height:

0.360 inches

Operating Temperature Range:

-50.0 to 70.0 degrees celsius

Reference Frequency Per Function:

960.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

3 terminal

Features Provided:

Fungus resistant and moisture resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

940.80 kilohertz blank and 950.40 kilohertz blank and 969.60 kilohertz blank and 979.20 kilohertz blank

Body Material:

Plastic

Frequency Band Width Per Function:

950.40 kilohertz blank and 969.60 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

950.4 kilohertz blank and 969.6 kilohertz blank

Criticality Code Justification:

Feat

Special Features:

As differentiated by circuit test for q-factor

Unpackaged Unit Weight:

2.000 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0