NSN 5915-00-007-8162

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-007-8162

Overall Length:
10.188 inches
Overall Height:
2.000 inches
Body Width:
4.000 inches
Unthreaded Mounting Hole Diameter:
0.203 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
9.438 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
3.125 inches
Operating Tempurature Range:
-65.0 to 85.0 degrees celsius
Reference Frequency Per Function:
14.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Input Terminal Identification:
Female n connector
Output Terminal Identification:
Female n type connector
Voltage Standing Wave Ratio Per Function:
1.3 blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
1 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
2.00 megahertz blank and 30.00 megahertz blank and 35.00 megahertz blank and 1.00 gigahertz blank
Frequency Band Width Per Function:
2.00 megahertz blank and 30.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
0.5 blank and 0.5 blank and 25.0 blank and 60.0 blank
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:

N/a

NSN 5915-00-007-8162

Low Pass Filter - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A047b0