

View Online at <https://aerobasegroup.com/nsn/5915-00-013-9623>

**Overall Height:**

Between 3.141 inches and 3.171 inches

**Body Length:**

Between 2.000 inches and 2.015 inches

**Body Width:**

Between 1.422 inches and 1.452 inches

**Body Height:**

Between 2.578 inches and 2.608 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 0.807 inches and 0.817 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.922 inches and 0.952 inches

**Operating Temperature Range:**

-55.0 to 105.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

1.0 hertz blank

**Source Impedance Rating Per Function:**

600.0 ohms blank

**Load Impedance Per Function:**

600.0 ohms blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

600.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 2.40 kilohertz blank and 4.00 kilohertz blank and 5.00 kilohertz blank

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 hertz blank and 2.40 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 3.0 blank and 27.0 blank and 37.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

81349-milf18327-12 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0