## NSN 5915-00-024-5231

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-024-5231

| Overall Length:   |
|---|
| 7.000 inches  |
| Body Length:  |
| 6.000 inches  |
| Body Width:   |
| 1.500 inches  |
| Body Height:  |
| 2.750 inches  |
| Unthreaded Mounting Hole Diameter:  |
| 0.196 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:                            |
| 6.500 inches  |
| Vibration Resistance Range In Hertz:  |
| +5.0 to 15.0  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:                             |
| 0.750 inches  |
| Operating Tempurature Range:  |
| +0.0 to 75.0 degrees celsius  |
| Reference Frequency Per Function:   |
| 305.0 megahertz blank   |
| Input Impedance Per Function W/load:  |
| 50.0 ohms blank   |
| Output Impedance Per Function W/source Across Input:  |
| 50.0 ohms blank   |
| Inclosure Type:   |
| Encased   |
| Mounting Facility Type And Quantity:  |
| 4 unthreaded hole   |
| Insertion Loss At Reference Frequency Per Function In Decibels:   |
| 3.0 blank   |
| Functional Terminal Type And Quantity:  |
| 1 connector, receptacle output 2nd function   |
| Specified Frequencies Of Discrimination Per Function:   |
| 255.00 megahertz blank and 280.00 megahertz blank and 330.00 megahertz blank and 360.00 megahertz blank |
| Frequency Band Width Per Function:  |
| 280.00 megahertz blank and 330.00 megahertz blank   |
| Discrimination At Specificationified Frequencies Per Function In Decibels:                              |
| 25.0 blank and 32.0 blank and 25.0 blank  |
| Style Designator:   |
| Rectangular terminal/terminals on opposite surfaces   |

N/a

Shelf Life:

## NSN 5915-00-024-5231

Band Pass Filter - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0