

View Online at <https://aerobasegroup.com/nsn/5915-00-032-3558>

Overall Height:

0.762 inches

Body Length:

Between 1.225 inches and 1.250 inches

Body Width:

Between 1.100 inches and 1.125 inches

Body Height:

0.450 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.900 inches

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Operating Temperature Range:

-55.0/+110.0 degrees celsius

Reference Frequency Per Function:

4.5 kilohertz blank

Source Impedance Rating Per Function:

12.0 ohms blank

Load Impedance Per Function:

2.4 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

10.6 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

3.50 kilohertz blank and 4.00 kilohertz blank and 5.00 kilohertz blank and 19.00 kilohertz blank

Thread Size:

0.086 inches

Body Material:

Metal

Frequency Band Width Per Function:

4.00 kilohertz blank and 5.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0