

View Online at <https://aerobasegroup.com/nsn/5915-00-032-3558>

**Overall Height:**

0.762 inches

**Body Length:**

Between 1.225 inches and 1.250 inches

**Body Width:**

Between 1.100 inches and 1.125 inches

**Body Height:**

0.450 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.900 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 500.0

**Operating Temperature Range:**

-55.0/+110.0 degrees celsius

**Reference Frequency Per Function:**

4.5 kilohertz blank

**Source Impedance Rating Per Function:**

12.0 ohms blank

**Load Impedance Per Function:**

2.4 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

10.6 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

3.50 kilohertz blank and 4.00 kilohertz blank and 5.00 kilohertz blank and 19.00 kilohertz blank

**Thread Size:**

0.086 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

4.00 kilohertz blank and 5.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0