

View Online at <https://aerobasegroup.com/nsn/5915-00-043-3940>

Overall Length:

2.281 inches

Body Length:

1.688 inches

Body Height:

1.000 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.031 inches

Vibration Resistance Range In Hertz:

+5.0/+500.0

Operating Temperature Range:

-62.0 to 100.0 degrees celsius

Reference Frequency Per Function:

23.0 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

2.5 kilohms blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

3 tab, solder lug input 1st function

Specified Frequencies Of Discrimination Per Function:

20.00 kilohertz blank and 21.50 kilohertz blank and 24.50 kilohertz blank and 26.00 kilohertz blank

Frequency Band Width Per Function:

21.50 kilohertz blank and 24.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0