

View Online at <https://aerobasegroup.com/nsn/5915-00-043-3940>

**Overall Length:**

2.281 inches

**Body Length:**

1.688 inches

**Body Height:**

1.000 inches

**Unthreaded Mounting Hole Diameter:**

0.140 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.031 inches

**Vibration Resistance Range In Hertz:**

+5.0/+500.0

**Operating Temperature Range:**

-62.0 to 100.0 degrees celsius

**Reference Frequency Per Function:**

23.0 kilohertz blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

2.5 kilohms blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

6.0 blank

**Functional Terminal Type And Quantity:**

3 tab, solder lug input 1st function

**Specified Frequencies Of Discrimination Per Function:**

20.00 kilohertz blank and 21.50 kilohertz blank and 24.50 kilohertz blank and 26.00 kilohertz blank

**Frequency Band Width Per Function:**

21.50 kilohertz blank and 24.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0