

View Online at <https://aerobasegroup.com/nsn/5915-00-045-5287>

Overall Length:

2.812 inches

Body Length:

2.250 inches

Body Width:

0.359 inches

Body Height:

1.062 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.550 inches

Vibration Resistance Range In Hertz:

+5.0 to 500.0

Operating Temperature Range:

-62.0 to 90.0 degrees celsius

Reference Frequency Per Function:

2.5 kilohertz blank

Source Impedance Rating Per Function:

3.8 kilohms blank

Load Impedance Per Function:

3.8 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 turret output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 kilohertz blank and 4.00 kilohertz blank and 20.00 kilohertz blank and 500.00 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

1.00 kilohertz blank and 4.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 3.0 blank and 50.0 blank and 50.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0