NSN 5915-00-056-2702

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-056-2702

| Overall Height: |
|--|
| 4.440 inches |
| Body Length: |
| 4.500 inches |
| Body Width: |
| 2.375 inches |
| Body Height: |
| 3.440 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.295 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| Between 2.000 inches and 5.000 inches |
| Operating Tempurature Range: |
| -55.0 to 85.0 degrees celsius |
| Reference Frequency Per Function: |
| 1.0 kilohertz blank |
| Input Impedance Per Function W/load: |
| 50.0 ohms blank |
| Output Impedance Per Function W/source Across Input: |
| 50.0 ohms blank |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole 2nd function |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 3.0 blank |
| Functional Terminal Type And Quantity: |
| 3 turret output 2nd function |
| Specified Frequencies Of Discrimination Per Function: |
| 60.00 hertz blank and 800.00 hertz blank and 1.20 kilohertz blank and 8.00 kilohertz blank |
| Thread Size: |
| 0.138 inches |
| Frequency Band Width Per Function: |
| 800.00 hertz blank and 1.20 kilohertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 30.0 blank and 6.0 blank and 15.0 blank and 40.0 blank |
| Special Features: |
| Body Ig o/a 5.500 in. |
| Style Designator: |
| |

Rectangular terminal/terminals on one surface

NSN 5915-00-056-2702

Band Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

