## NSN 5915-00-058-4982

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-058-4982

Overall Height:
3.000 inches
Body Length:
4.500 inches
Body Width:
2.680 inches
Body Height:
2.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
4.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.250 inches
Operating Tempurature Range:
-10.0/+85.0 degrees celsius
Reference Frequency Per Function:
140.0 kilohertz blank
Input Impedance Per Function W/load:
22.0 kilohms blank
Output Impedance Per Function W/source Across Input:
10.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
10.0 blank
Functional Terminal Type And Quantity:
2 turret input 1st function
Specified Frequencies Of Discrimination Per Function:
110.00 kilohertz blank and 139.825 kilohertz blank and 140.175 kilohertz blank and 170.00 kilohertz blank
Thread Size:
0.164 inches
Body Material:
Metal
Frequency Band Width Per Function:
139.875 kilohertz blank and 140.175 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0 blank and 6.0 blank and 6.0 blank and 60.0 blank

**Style Designator:** 

Rectangular terminal/terminals on one surface

## NSN 5915-00-058-4982

Band Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0