#### .



<b>NSN 5915-00-061-3218</b> Band Pass Filter - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5915-00-061-3218
Overall Height:
1.344 inches
Body Length:
2.375 inches
Body Width:
1.000 inches
Body Height:
1.031 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.875 inches
Vibration Resistance Range In Hertz:
+10.0 to 2000.0
Operating Tempurature Range:
+0.0 to 75.0 degrees celsius
Average Life Rating In Hours:
10000.0
Reference Frequency Per Function:
16.0 megahertz blank
Input Impedance Per Function W/load:
100.0 ohms blank
Output Impedance Per Function W/source Across Input:
100.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
10.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
15.92 megahertz blank and 15.97 megahertz blank and 16.03 megahertz blank and 16.08 megahertz blank
Thread Size:
0.112 inches

**Body Material:** 

Metal

### Frequency Band Width Per Function:

15.97 megahertz blank and 16.03 megahertz blank

# NSN 5915-00-061-3218

Band Pass Filter - Page 2 of 2



#### Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

# Unit Of Measure:

--

## Demilitarization:

Yes - demil/mli

Fiig:

A047b0