NSN 5915-00-064-0750

Low Pass Filter - Page 1 of 2

Overall Height:



View Online at https://aerobasegroup.com/nsn/5915-00-064-0750

5.870 inches
Body Length:
1.800 inches
Body Width:
1.500 inches
Body Height:
5.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.000 inches
Operating Tempurature Range:
-10.0 to 40.0 degrees celsius
Reference Frequency Per Function:
850.0 hertz blank
Source Impedance Rating Per Function:
600.0 ohms blank
Load Impedance Per Function:
600.0 ohms blank
Input Impedance Per Function W/load:
600.0 ohms blank
Output Impedance Per Function W/source Across Input:
600.0 ohms blank and 600.0 ohms blank
Screw Thread Diameter:
0.190 inches
Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
1 threaded stud
Screw Thready Qty Per Inch (tpi):
32
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
2 threaded stud output
Functional Terminal Thread Diameter:
0.138 inches input
Frequency Band Width Per Function:

600.00 hertz blank and 1.10 kilohertz blank

NSN 5915-00-064-0750

Low Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

Functional Terminal Thread Quantity:

32.0 per inch output

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0