NSN 5915-00-064-3991

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-064-3991

Overall Height:
3.812 inches
Body Length:
2.500 inches
Body Width:
2.031 inches
Body Height:
3.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 1.781 inches and 1.843 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.812 inches
End Application:
Forrestal class cv; ship, ohio class ssn (trident)
Reference Frequency Per Function:
8.45 kilohertz blank
Input Impedance Per Function W/load:
450.0 kilohms blank
Output Impedance Per Function W/source Across Input:
450.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 tab, solder lug output 2nd function
Specified Frequencies Of Discrimination Per Function:
$8.25 \; \text{kilohertz blank and} \; 8.35 \; \text{kilohertz blank and} \; 8.55 \; \text{kilohertz blank} \; \text{and} \; 8.65 \; \text{kilohertz blank}$
Thread Size:
0.164 inches
Body Material:
Metal
Frequency Band Width Per Function:
8.35 kilohertz blank and 8.55 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0 blank and 3.0 blank and 60.0 blank

Feat

Criticality Code Justification:

NSN 5915-00-064-3991

Band Pass Filter - Page 2 of 2



Special Features:
Weapon system essential
Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A047b0