## NSN 5915-00-069-0402

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-069-0402

## Overall Length:

4.150 inches

#### Body Length:

3.510 inches

#### Body Width:

2.010 inches

#### **Body Height:**

#### 1.060 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.930 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.590 inches

#### **Operating Tempurature Range:**

-20.0 to 55.0 degrees celsius

#### **Reference Frequency Per Function:**

## 432.0 kilohertz blank

#### Input Impedance Per Function W/load:

75.0 ohms blank

#### **Output Impedance Per Function W/source Across Input:**

75.0 ohms blank

## Mounting Facility Screw Thread Series Designator:

Unc

#### Inclosure Type:

Hermetically sealed

## Mounting Facility Type And Quantity:

2 threaded hole

## Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

## Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

## Specified Frequencies Of Discrimination Per Function:

312.00 kilohertz blank and 552.00 kilohertz blank and 612.00 kilohertz blank and 672.00 kilohertz blank

#### Thread Size:

0.112 inches

#### **Body Material:**

Metal

#### Frequency Band Width Per Function:

312.00 kilohertz blank and 552.00 kilohertz blank

## Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 40.0 blank and 40.0 blank

#### Style Designator:

Rectangular terminal/terminals on opposite surfaces

# NSN 5915-00-069-0402

Low Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0

