

View Online at <https://aerobasegroup.com/nsn/5915-00-069-3876>

**Overall Height:**

0.750 inches

**Body Length:**

3.000 inches

**Body Width:**

2.180 inches

**Body Height:**

0.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.500 inches

**Operating Temperature Range:**

-28.0 to 65.0 degrees celsius

**Reference Frequency Per Function:**

1.9 kilohertz blank

**Source Impedance Rating Per Function:**

600.0 ohms blank

**Load Impedance Per Function:**

1.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

1 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

15.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

300.00 hertz blank and 3.50 kilohertz blank and 5.00 kilohertz blank and 20.00 kilohertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

300.00 hertz blank and 3.50 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

0.5 blank and 0.5 blank and 25.0 blank and 25.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

00724-08-00680-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0