NSN 5915-00-069-5565

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-069-5565

| Overall Height: |
|---|
| 3.500 inches |
| Body Length: |
| 2.000 inches |
| Body Width: |
| 2.000 inches |
| Body Height: |
| 3.000 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 1.375 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 1.375 inches |
| Operating Tempurature Range: |
| +0.0/+60.0 degrees celsius |
| Reference Frequency Per Function: |
| 10.0 kilohertz blank |
| Input Impedance Per Function W/load: |
| 600.0 ohms blank |
| Output Impedance Per Function W/source Across Input: |
| 600.0 ohms blank |
| Mounting Facility Screw Thread Series Designator: |
| Unf |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Type And Quantity: |
| 4 threaded stud |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 4.0 blank |
| Functional Terminal Type And Quantity: |
| 2 pin ground 3rd function |
| Specified Frequencies Of Discrimination Per Function: |
| 8.95 kilohertz blank and 9.05 kilohertz blank and 10.95 kilohertz blank and 11.05 kilohertz blank |
| Thread Size: |
| 0.190 inches |
| Body Material: |
| Metal |
| Frequency Band Width Per Function: |
| 9.05 kilohertz blank and 10.95 kilohertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 30.0 blank and 1.0 blank and 30.0 blank |
| Unpackaged Unit Weight: |

4.000 pounds

NSN 5915-00-069-5565

Band Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A047b0