

View Online at <https://aerobasegroup.com/nsn/5915-00-078-7854>

**Overall Length:**

Between 2.220 inches and 2.280 inches

**Overall Height:**

0.820 inches

**Overall Width:**

Between 1.970 inches and 2.030 inches

**Body Length:**

Between 2.220 inches and 2.280 inches

**Body Width:**

Between 1.970 inches and 2.030 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.684 inches and 1.716 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.484 inches and 1.516 inches

**Operating Temperature Range:**

-40.0 to 85.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

1.5 kilohertz blank

**Source Impedance Rating Per Function:**

600.0 ohms blank

**Load Impedance Per Function:**

600.0 ohms blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

600.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

1 wire lead input 1st function

**Specified Frequencies Of Discrimination Per Function:**

200.00 hertz blank and 1.125 kilohertz blank and 1.875 kilohertz blank and 4.50 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.125 kilohertz blank and 1.875 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

20.0 blank and 1.0 blank and 1.0 blank and 20.0 blank

**Maximum Dielectric Withstanding Dc Voltage:**

100.0 volts at sea level

**Special Features:**

Terminals on one surface

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0