

View Online at <https://aerobasegroup.com/nsn/5915-00-080-6826>

Overall Height:

2.750 inches

Body Length:

5.375 inches

Body Width:

3.000 inches

Body Height:

2.375 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.625 inches

Vibration Resistance Range In Hertz:

+10.0 to 55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.250 inches

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

Reference Frequency Per Function:

103.05 kilohertz blank

Source Impedance Rating Per Function:

8.2 kilohms blank

Load Impedance Per Function:

8.2 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

10.0 blank

Functional Terminal Type And Quantity:

1 turret ground 3rd function

Specified Frequencies Of Discrimination Per Function:

100.00 kilohertz blank and 100.40 kilohertz blank and 105.70 kilohertz blank and 108.00 kilohertz blank

Thread Size:

0.164 inches

Frequency Band Width Per Function:

100.40 kilohertz blank and 105.70 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 2.0 blank and 2.0 blank and 40.0 blank

Special Features:

1 dummy terminal

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0