

View Online at <https://aerobasegroup.com/nsn/5915-00-080-6826>

**Overall Height:**

2.750 inches

**Body Length:**

5.375 inches

**Body Width:**

3.000 inches

**Body Height:**

2.375 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

4.625 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

2.250 inches

**Operating Temperature Range:**

-55.0 to 85.0 degrees celsius

**Reference Frequency Per Function:**

103.05 kilohertz blank

**Source Impedance Rating Per Function:**

8.2 kilohms blank

**Load Impedance Per Function:**

8.2 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

10.0 blank

**Functional Terminal Type And Quantity:**

1 turret ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

100.00 kilohertz blank and 100.40 kilohertz blank and 105.70 kilohertz blank and 108.00 kilohertz blank

**Thread Size:**

0.164 inches

**Frequency Band Width Per Function:**

100.40 kilohertz blank and 105.70 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 blank and 2.0 blank and 2.0 blank and 40.0 blank

**Special Features:**

1 dummy terminal

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0