

View Online at <https://aerobasegroup.com/nsn/5915-00-080-8724>

**Overall Length:**

4.406 inches

**Body Length:**

2.906 inches

**Body Width:**

2.375 inches

**Body Height:**

1.303 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.154 inches and 0.162 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 4.000 inches and 4.016 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Operating Temperature Range:**

-55.0 to 105.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 1st radio interference 1st function 50.0 ohms 2nd radio interference 2nd function 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference

**Load Impedance Per Function:**

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference 50.0 ohms 4th function

**Operating Current Rating Per Function In Amps:**

2.0 1st radio interference 1st function 2.0 2nd radio interference 2.0 3rd radio interference 2.0 4th radio interference

**Maximum Voltage Drop Per Function:**

1.5 volts dc 1st radio interference 1st function 1.5 volts dc 2nd radio interference 1.5 volts dc 3rd radio interference 1.5 volts dc 4th radio interference 4th function

**Principal Circuitry Type Per Function:**

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference 3rd function inductance-capacitance 4th radio interference 4th function

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Features Provided:**

Mounting bracket

**Functional Terminal Type And Quantity:**

4 tab, solder lug input 1st function 4 tab, solder lug output 2nd function 3 tab, solder lug ground 3rd function

**Operating Voltage Rating And Type Per Function:**

150.0 volts dc 1st radio interference 1st function 150.0 volts dc 2nd radio interference 2nd function 150.0 volts dc 3rd radio interference 3rd function 150.0 volts dc 4th radio interference 4th function

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

300.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0