

View Online at <https://aerobasegroup.com/nsn/5915-00-084-3394>

**Overall Height:**

1.969 inches

**Body Length:**

Between 0.771 inches and 0.791 inches

**Body Width:**

0.781 inches

**Body Height:**

1.750 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.506 inches

**Operating Temperature Range:**

-40.0 to 85.0 degrees celsius

**Reference Frequency Per Function:**

15.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.7 blank

**Functional Terminal Type And Quantity:**

2 solder stud output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

500.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

12.50 megahertz blank and 13.90 megahertz blank and 16.10 megahertz blank and 17.50 megahertz blank

**Thread Size:**

0.086 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

13.90 megahertz blank and 16.10 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

50.0 blank and 3.0 blank and 3.0 blank and 50.0 blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0