

View Online at <https://aerobasegroup.com/nsn/5915-00-086-9046>

Overall Length:

2.360 inches

Body Length:

Between 2.172 inches and 2.204 inches

Body Outside Diameter:

Between 0.422 inches and 0.454 inches

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Operating Temperature Range:

+0.0/+60.0 degrees celsius

Reference Frequency Per Function:

501.67 kilohertz blank

Source Impedance Rating Per Function:

270.0 ohms blank

Load Impedance Per Function:

20.0 kilohms blank

Principal Circuitry Type Per Function:

Mechanical blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

6 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

1.5 blank

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

500.00 kilohertz blank and 500.30 kilohertz blank and 503.05 kilohertz blank and 504.00 kilohertz blank

Body Material:

Metal

Frequency Band Width Per Function:

500.30 kilohertz blank and 503.05 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 20.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Round terminal/terminals on opposite surfaces

Specification Data:

13499-526-9412-00 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0