

View Online at <https://aerobasegroup.com/nsn/5915-00-090-3450>

Overall Length:

Between 2.495 inches and 2.505 inches

Body Length:

Between 1.619 inches and 1.629 inches

Body Width:

Between 1.245 inches and 1.255 inches

Body Height:

Between 0.871 inches and 0.881 inches

Unthreaded Mounting Hole Diameter:

Between 0.182 inches and 0.192 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 0.094 inches and 0.156 inches

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Power Line Frequency Rating Per Function In Hertz:

250.0 blank

Operating Current Rating Per Function In Amps:

1.0 blank

Maximum Voltage Drop Per Function:

1.3 volts ac blank and 4.0 volts dc blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 unthreaded hole

Features Provided:

Mounting bracket

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

260.0 volts at sea level

Operating Voltage Rating And Type Per Function:

130.0 volts ac blank and 400.0 volts dc blank

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

Unpackaged Unit Weight:

2.000 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0