NSN 5915-00-096-7330

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-096-7330 **Overall Height:** 4.375 inches **Body Length:** 1.750 inches **Body Width:** 1.750 inches **Body Height:** 3.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.375 inches **Operating Tempurature Range:** +0.0 to 80.0 degrees celsius **Reference Frequency Per Function:** 50.0 kilohertz blank **Source Impedance Rating Per Function:** 47.0 kilohms blank **Load Impedance Per Function:** 47.0 kilohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance-resistance blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 2 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank **Functional Terminal Type And Quantity:** 4 wire hook output 2nd function **Specified Frequencies Of Discrimination Per Function:** 47.00 kilohertz blank and 49.95 kilohertz blank and 50.05 kilohertz blank and 53.00 kilohertz blank **Thread Size:** 0.164 inches **Body Material:** Metal **Frequency Band Width Per Function:**

49.95 kilohertz blank and 50.05 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 60.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-096-7330

Band Pass Filter - Page 2 of 2



| | L - | 16 | | ife | _ |
|---|------------|----|---|-----|---|
| 3 | ne | п | _ | пе | Ξ |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0