

View Online at <https://aerobasegroup.com/nsn/5915-00-104-9960>

Overall Height:

Between 3.001 inches and 3.063 inches

Body Length:

Between 1.750 inches and 1.875 inches

Body Width:

Between 1.625 inches and 1.750 inches

Body Height:

Between 2.500 inches and 2.688 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.359 inches and 1.391 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.234 inches and 1.266 inches

Operating Temperature Range:

-0.0/+70.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

400.0 hertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

1.5 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Features Provided:

Fungus resistant and shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 wire hook output 2nd function

Specified Frequencies Of Discrimination Per Function:

360.00 hertz blank and 380.00 hertz blank and 420.00 hertz blank and 440.00 hertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

380.00 hertz blank and 420.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

380.00 hertz blank and 420.00 hertz blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0