

View Online at <https://aerobasegroup.com/nsn/5915-00-106-0299>

Overall Height:

4.580 inches

Body Length:

2.580 inches

Body Width:

2.240 inches

Body Height:

4.260 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.400 inches

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.560 inches

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

Reference Frequency Per Function:

153.0 kilohertz blank

Source Impedance Rating Per Function:

55.0 ohms blank

Load Impedance Per Function:

55.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded stud 1st function

Insertion Loss At Reference Frequency Per Function In Decibels:

2.0 blank

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

151.00 kilohertz blank and 152.00 kilohertz blank and 154.00 kilohertz blank and 155.00 kilohertz blank

Thread Size:

0.190 inches

Body Material:

Metal

Frequency Band Width Per Function:

152.00 kilohertz blank and 154.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0